

Question No. No. Soalan		Candidate's Answer Jawapan Calon	Marks Markah	
1	i	B		1
	ii	A		2
2		D		3
3		D		4
4		False		5
5		B		6
6	i	antivirus		7
	ii	data compression		8
7	i	True		9
	ii	True		10
8	i	Intranet		11
	ii	internet		12
9		Wireless Access Point/ Titik capaian tanpa wayar		13
10		C		14
11	i	Q – blue/Biru		15
	ii	S – white/green @ putih/hijau		16
12		True		17
13	i	B		18
	ii	C		19
14		False		20
15		WYSIWYG		21
16		Problem Analysis		22
17		B		23
18		True		24
19		Constant		25
20	i	NO		26
	ii	50.35 gram		27
21	i	- Testing and debugging/ Pengujian dan penyahpijatan		28
	ii	- Documentation/Dokumentasi		29
22	i	x		30
	ii	y		31
23		Foreign / Asing		32
24	i	table		33
	ii	query		34
25	i	R		35
	ii	Q		36

BAHAGIAN B & C

BIL	SKIMA	MARK									
26	<p>START / MULA READ / INPUT Form</p> <p>If Form = Lower Form Fee = RM40 Else Fee= RM50 End</p> <p>DISPLAY / PRINT RECEIPT STOP / TAMAT</p>	<p>Start/stop = 1mark</p> <p>Read/input = 1 mark</p> <p>If form... else = 1 mark</p> <p>Display/print =1 Mark</p>									
27	<p>a. i) WAN ii) MAN</p> <p>b.</p> <table border="1" style="margin-left: 40px;"> <thead> <tr> <th>WAN(X)</th> <th></th> <th>LAN(Z)</th> </tr> </thead> <tbody> <tr> <td>Low data transfer</td> <td>Data transfer</td> <td>High data transfer</td> </tr> <tr> <td>Through leased lines or satellites</td> <td>Connection</td> <td>Telephone lines and radio waves</td> </tr> </tbody> </table> <p>*Apa-apa jawapan yang sesuai boleh diterima</p>	WAN(X)		LAN(Z)	Low data transfer	Data transfer	High data transfer	Through leased lines or satellites	Connection	Telephone lines and radio waves	<p>1</p> <p>1</p> <p>1</p> <p>1</p>
WAN(X)		LAN(Z)									
Low data transfer	Data transfer	High data transfer									
Through leased lines or satellites	Connection	Telephone lines and radio waves									
28	<p>a) cd based</p> <p>b) - Can store high end multimedia elements such as video - Can be permanently stored and are not change - information on a multimedia can be quickly outdated</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p>									
29	<p>a)</p> <ul style="list-style-type: none"> - Update/install antivirus - Install firewall - Install antispyware <p>b)</p> <ul style="list-style-type: none"> - Computer run slowly - Computer hang - Hard disk will corrupted <p>*Apa-apa jawapan yang sesuai boleh diterima</p>	<p>1</p> <p>1</p> <p>(salah satu)</p> <p>1</p> <p>1</p> <p>(salah satu)</p>									

30	<p>Contoh Laporan:</p> <p>30. <u>Contoh Laporan:</u></p> <div style="border: 1px solid black; padding: 10px; margin: 10px auto; width: fit-content;"> <p style="text-align: center;">(Tajuk : cth. RESIT BELIAN)</p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th style="padding: 5px;">No. Produk</th> <th style="padding: 5px;">Nama Produk</th> <th style="padding: 5px;">Harga Seunit</th> <th style="padding: 5px;">Kuantiti</th> <th style="padding: 5px;">Jumlah Harga</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> <p style="text-align: right; margin-top: 10px;"><u>Jumlah Keseluruhan</u></p> </div> <div style="margin-top: 10px;"> <p>Nota: <u>Terima sebarang jenis laporan yang membawa 4 markah (berbentuk laporan + tajuk laporan + medan bersesuaian + jumlah keseluruhan).</u></p> </div>	No. Produk	Nama Produk	Harga Seunit	Kuantiti	Jumlah Harga																																									
No. Produk	Nama Produk	Harga Seunit	Kuantiti	Jumlah Harga																																											
31	<p>31. a)</p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th style="padding: 5px;">Bil</th> <th style="padding: 5px;">Nama medan</th> <th style="padding: 5px;">Jenis data</th> <th style="padding: 5px;">Wajib ada</th> <th style="padding: 5px;">Markah</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;">1</td> <td style="padding: 5px;">No Resit</td> <td style="padding: 5px;">Text/Number</td> <td style="padding: 5px;">/</td> <td style="padding: 5px;">[1]</td> </tr> <tr> <td style="padding: 5px;">2</td> <td style="padding: 5px;">Tarikh</td> <td style="padding: 5px;">Date/Text</td> <td style="padding: 5px;"></td> <td style="padding: 5px;">[1]</td> </tr> <tr> <td style="padding: 5px;">3</td> <td style="padding: 5px;">Penerima</td> <td style="padding: 5px;">Text</td> <td style="padding: 5px;"></td> <td style="padding: 5px;">[1]</td> </tr> <tr> <td style="padding: 5px;">4</td> <td style="padding: 5px;">Ringgit Malaysia</td> <td style="padding: 5px;">Text</td> <td style="padding: 5px;"></td> <td style="padding: 5px;">[1]</td> </tr> <tr> <td style="padding: 5px;">5</td> <td style="padding: 5px;">Kerana Bayaran</td> <td style="padding: 5px;">Text</td> <td style="padding: 5px;"></td> <td style="padding: 5px;">[1]</td> </tr> <tr> <td style="padding: 5px;">6</td> <td style="padding: 5px;">RM</td> <td style="padding: 5px;">Currency/Number</td> <td style="padding: 5px;">/</td> <td style="padding: 5px;">[1]</td> </tr> <tr> <td style="padding: 5px;">7</td> <td style="padding: 5px;">Jenis bayaran</td> <td style="padding: 5px;">Text/ Yes/No</td> <td style="padding: 5px;"></td> <td style="padding: 5px;">[1]</td> </tr> <tr> <td style="padding: 5px;">8</td> <td style="padding: 5px;">TT</td> <td style="padding: 5px;">OLE object</td> <td style="padding: 5px;"></td> <td style="padding: 5px;">[1]</td> </tr> </tbody> </table> <p style="margin-top: 20px;">b) Kunci Primer : No Resit Alasan : Nilainya tidak berulang / unik</p>	Bil	Nama medan	Jenis data	Wajib ada	Markah	1	No Resit	Text/Number	/	[1]	2	Tarikh	Date/Text		[1]	3	Penerima	Text		[1]	4	Ringgit Malaysia	Text		[1]	5	Kerana Bayaran	Text		[1]	6	RM	Currency/Number	/	[1]	7	Jenis bayaran	Text/ Yes/No		[1]	8	TT	OLE object		[1]	<p>Nota: Menamakan 5 medan beserta jenis data yang sesuai (max 5 markah).</p> <p style="text-align: right; margin-top: 20px;">1 1</p>
Bil	Nama medan	Jenis data	Wajib ada	Markah																																											
1	No Resit	Text/Number	/	[1]																																											
2	Tarikh	Date/Text		[1]																																											
3	Penerima	Text		[1]																																											
4	Ringgit Malaysia	Text		[1]																																											
5	Kerana Bayaran	Text		[1]																																											
6	RM	Currency/Number	/	[1]																																											
7	Jenis bayaran	Text/ Yes/No		[1]																																											
8	TT	OLE object		[1]																																											
32	<p>a) Problem analysis. Two activities:- i. questionnaire ii. proposal</p>	<p style="text-align: right;">1 1 1</p>																																													

	<p>b) Design phase. Flowchart and storyboard.</p> <ul style="list-style-type: none"> - Design a flowchart and storyboard - Choose the colours and layout of each individual screen - Determine the position of navigation button 	<p>1 1</p> <p>[2 marks – any two]</p>
33	<p>a) Input : bilangan jam jenis kenderaan</p> <p>Output : jumlah bayaran</p> <pre> graph TD Start([START]) --> Read[READ BILANGAN JAM DAN JENIS KENDERAAN] Read --> Decision{ADA PARKING ?} Decision -- TIDAK --> Stop([STOP]) Decision -- YA --> Print[/PRINT JUMLAH BAYARAN/] Print --> Stop </pre>	<p>1 1 1</p> <p>Start/stop = 1 mark</p> <p>Read bil jam dan jenis kenderaan = 1 mark</p> <p>Pemilihan =1 mark</p> <p>Print/papar =1 Mark</p>